according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 476

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Grease

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599

E-mail address of person

responsible for the SDS

National contact

mcm@oks-germany.com

1.4 Emergency telephone number

Emergency telephone

number

: +49 8142 3051 517

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

# Additional Labelling

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Mineral oil.

aluminium complex soap Synthetic hydrocarbon oil

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)			
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 1 - < 10			
Substances with a workplace exposure limit :							
White mineral oil (petroleum)	8042-47-5 232-455-8			>= 70 - < 90			
	01-2119487078-27- XXXX						

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respira-

ion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

In case of contact, immediately flush skin with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon oxides Metal oxides Sulphur oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable

dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to

health.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Date of last issue: 09.07.2016 **Revision Date:** Print Date: 30.04.2018 Date of first issue: 09.07.2016 30.04.2018 1.1

Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Hygiene measures Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers

which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) Consult the technical guidelines for the use of this sub-

stance/mixture.

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Revision Date: Date of last issue: 09.07.2016 Print Date: 1.1 30.04.2018 Date of first issue: 09.07.2016 30.04.2018

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
White mineral oil (petroleum)	8042-47-5	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900		
Peak-limit: excursion factor (category)	4;(II)					
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
White mineral oil (petroleum)	8042-47-5	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900		
Peak-limit: excursion factor (category)	4;(II)					
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove

and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

cific work-place.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 0,92 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

# 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

according to Regulation (EC) No. 1907/2006 - DE



# **OKS 476**

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

Acute dermal toxicity : Remarks: This information is not available.

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks: This information is not available.

**Components:** 

White mineral oil (petroleum):

Species: Rabbit

Assessment: No skin irritation Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

White mineral oil (petroleum):



according to Regulation (EC) No. 1907/2006 - DE



# **OKS 476**

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

Species: Rabbit

Assessment: No skin irritation Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

#### Serious eye damage/eye irritation

### **Product:**

Remarks: This information is not available.

## **Components:**

# White mineral oil (petroleum):

Species: Rabbit

Assessment: No eye irritation Method: OECD Test Guideline 405

Result: No eye irritation

GLP: yes

## White mineral oil (petroleum):

Species: Rabbit

Assessment: No eye irritation Method: OECD Test Guideline 405

Result: No eye irritation

GLP: yes

#### Respiratory or skin sensitisation

# **Product:**

Remarks: This information is not available.

#### **Components:**

#### White mineral oil (petroleum):

Test Type: Buehler Test Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

GLP: yes

## White mineral oil (petroleum):

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

GLP: yes



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

White mineral oil (petroleum):

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative GLP: yes

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks: No data available

**Components:** 

White mineral oil (petroleum):

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

White mineral oil (petroleum):

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available



according to Regulation (EC) No. 1907/2006 - DE



# **OKS 476**

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

## **Components:**

#### White mineral oil (petroleum):

Reproductive toxicity - Assessment

No toxicity to reproduction
No effects on or via lactation

# White mineral oil (petroleum):

Reproductive toxicity - As- : No toxicity to reproduction sessment : No effects on or via lactation

# STOT - single exposure

#### **Components:**

## White mineral oil (petroleum):

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### White mineral oil (petroleum):

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT - repeated exposure

# **Components:**

#### White mineral oil (petroleum):

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# White mineral oil (petroleum):

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### **Product:**

Remarks: This information is not available.

## **Components:**

#### White mineral oil (petroleum):

NOAEL: 1.800 mg/kg Exposure time: 90 d



according to Regulation (EC) No. 1907/2006 - DE



# **OKS 476**

VersionRevision Date:Date of last issue: 09.07.2016Print Date:1.130.04.2018Date of first issue: 09.07.201630.04.2018

# **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Components:**

# White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

## White mineral oil (petroleum):

No aspiration toxicity classification

#### **Further information**

#### **Product:**

Remarks: Information given is based on data on the components and the toxicology of similar products.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

# **Components:**

# White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Date of last issue: 09.07.2016 **Revision Date:** Print Date: 30.04.2018 Date of first issue: 09.07.2016 30.04.2018 1.1

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms LC50 (Bacteria): > 1.000 mg/l

Exposure time: 40 h

Test Type: Growth inhibition

Toxicity to fish (Chronic toxic-:

ity)

NOEC: > 100 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: >= 1.000 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: >= 1.000 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea)

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical removabili- : Remarks: No data available

ty

**Components:** 

White mineral oil (petroleum):

Biodegradability Biodegradation: 31 %

Exposure time: 28 d

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Revision Date: Date of last issue: 09.07.2016 Print Date: 1.1 30.04.2018 Date of first issue: 09.07.2016 30.04.2018

White mineral oil (petroleum):

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

log Pow: > 6

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

Pow: > 6

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

**Components:** 

White mineral oil (petroleum):

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT)..

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Date of last issue: 09.07.2016 **Revision Date:** Print Date: 30.04.2018 Date of first issue: 09.07.2016 30.04.2018 1.1

White mineral oil (petroleum):

Non-classified PBT substance. Non-classified vPvB sub-Assessment

stance.

12.6 Other adverse effects

**Product:** 

tion

Additional ecological informa: No information on ecology is available.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging Empty containers can be landfilled, when in accordance with

the local regulations.

**SECTION 14: Transport information** 

14.1 UN number

**ADR** Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good **IATA** Not regulated as a dangerous good

14.2 UN proper shipping name

**ADR** Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good **IATA** Not regulated as a dangerous good

14.3 Transport hazard class(es)

**ADR** Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good **IATA** Not regulated as a dangerous good

14.4 Packing group

**ADR** Not regulated as a dangerous good

> a brand of FREUDENBERG

according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Revision Date: Date of last issue: 09.07.2016 Print Date: 1.1 30.04.2018 Date of first issue: 09.07.2016 30.04.2018

IMDG : Not regulated as a dangerous goodIATA (Cargo) : Not regulated as a dangerous goodIATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

**14.6 Special precautions for user**No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Regulation (EC) No 1005/2009 on substances that dep-

lete the ozone layer

Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances

Not applicable

Water contaminating class

WGK 1 slightly water endangering

(Germany)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Date of last issue: 09.07.2016 Version **Revision Date:** Print Date: 30.04.2018 Date of first issue: 09.07.2016 30.04.2018 1.1

others: 9,86 %

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances: portion Class 1: 1,83 % others: 88,31 %

Carcinogenic substances:

Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Remarks: Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

**Full text of H-Statements** 

H304 May be fatal if swallowed and enters airways.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal



according to Regulation (EC) No. 1907/2006 - DE



**OKS 476** 

Version Revision Date: Date of last issue: 09.07.2016 Print Date: 1.1 30.04.2018 Date of first issue: 09.07.2016 30.04.2018

Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

This safety datasheet applies only to products originally packaged and labelled by OKS Spezial-schmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent.OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date.All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the informati on available to us. The data provided are intended to describe the product in relation to the required safety measures; they are nei ther an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.

