

Printing date 14.03.2022 Version number 304 (replaces version 303)

Revision: 14.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 2-component PUR adhesive PartB E-COLL
- · Article number: 4317784464949/B, 4317784464956/B
- · UFI: E5GJ-W9SV-X90E-W312
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Application of the substance / the mixture Adhesives Resin
- · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

## · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

# Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 1)

• Hazard-determining components of labelling: 4,4'-Methylenbis(cyclohexylamin)

#### · Hazard statements

· Signal word Danger

H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

#### · Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

## · Dangerous components:

Dangerous components.				
CAS: 25214-63-5 NLP: 500-035-6 Reg.nr.: 01-2119471485-32-xxxx	Ethylenediamine, propoxylated Eye Irrit. 2, H319	50-100%		
CAS: 1761-71-3 EINECS: 217-168-8	4,4'-Methylenbis(cyclohexylamin) STOT RE 2, H373 Skin Corr. 1B, H314 Acute Tox. 4, H302; Skin Sens. 1B, H317	2.5-10%		
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-21195413215-52-xxxx	trimethoxyvinylsilane Flam. Liq. 3, H226 Acute Tox. 4, H332	2.5-10%		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

- EU ----



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

# Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 2)

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

# · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### • After swallowing: Rinse out mouth and then drink plenty of water. Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

# **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

(Contd. of page 3)

# Trade name: 2-component PUR adhesive PartB E-COLL

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide floor trough without outlet.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: -
- · 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- $\cdot$  Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
- · Hand protection



Protective gloves

Material of gloves
 Nitrile rubber, NBR



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

# Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 4)

Recommended thickness of the material:  $\geq 0.4$  mm

# · Penetration time of glove material

Value for the permeation: Level 6 / > 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye/face protection



Tightly sealed goggles

Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

$\cdot$ 9.1 Information on basic physical and chemical properties		
· General Information		
· Colour:	Black	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	Undetermined.	
· Flammability	Not applicable.	
<ul> <li>Lower and upper explosion limit</li> </ul>		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	> 150 °C	
Decomposition temperature:	Not determined.	
• pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Kinematic: 23 °C - 4 mm (ISO 2431)		
· Dynamic at 20 °C:	3000 mPas	
Solubility		
· water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
<ul> <li>Density and/or relative density</li> </ul>		
· Density at 20 °C:	1.02 g/cm <sup>3</sup>	
Relative density	Not determined.	
· Vapour density	Not determined.	
<ul> <li>9.2 Other information</li> </ul>		
· Appearance:		
· Form:	Fluid	
<ul> <li>Important information on protection of health</li> </ul>		
and environment, and on safety.		
<ul> <li>Auto-ignition temperature:</li> </ul>	Product is not selfigniting.	
<ul> <li>Explosive properties:</li> </ul>	Product does not present an explosion hazard.	
	(Contd. o	



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

(Contd. of page 5)

## Trade name: 2-component PUR adhesive PartB E-COLL

<ul> <li>Solvent separation test:</li> <li>Organic solvents:</li> <li>VOC (EC) g/l</li> <li>VOCV (CH)</li> </ul>	0.0 % 0.0 g/l 63.00 %		
<ul> <li>Change in condition</li> <li>Softening point/range</li> </ul>			
· Oxidising properties	Not determined.		
· Evaporation rate	Not determined.		
<ul> <li>Information with regard to physical hazard classes</li> </ul>			
· Explosives	Void		
Flammable gases	Void		
· Aerosols	Void		
<ul> <li>Oxidising gases</li> </ul>	Void		
<ul> <li>Gases under pressure</li> </ul>	Void		
<ul> <li>Flammable liquids</li> </ul>	Void		
<ul> <li>Flammable solids</li> </ul>	Void		
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void		
<ul> <li>Pyrophoric liquids</li> </ul>	Void		
<ul> <li>Pyrophoric solids</li> </ul>	Void		
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void		
<ul> <li>Substances and mixtures, which emit flammab</li> </ul>	le		
gases in contact with water	Void		
<ul> <li>Oxidising liquids</li> </ul>	Void		
<ul> <li>Oxidising solids</li> </ul>	Void		
<ul> <li>Organic peroxides</li> </ul>	Void		
<ul> <li>Corrosive to metals</li> </ul>	Void		
· Desensitised explosives	Void		

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

EU



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

# Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 6)

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.



Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

# Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 7)

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:

#### · General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 10*	packaging containing residues of or contaminated by hazardous substances	
HP4	Irritant - skin irritation and eye damage	

#### **SECTION 14: Transport information**

<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>• 14.2 UN proper shipping name</li> <li>• ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>• 14.5 Environmental hazards:</li> <li>• Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable. (Contd. o	on page 9)

Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 8)

- 14.7 Maritime transport in bulk according to IMO instruments Not applicable.
- · UN "Model Regulation":

Void

# **SECTION 15: Regulatory information**

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Directive 2012/18/EU

- · Named dangerous substances ANNEX I Methanol
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Contact: sdb@ede.de
- Date of previous version: 14.03.2022
- · Version number of previous version: 303
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals





Printing date 14.03.2022

Version number 304 (replaces version 303)

Revision: 14.03.2022

#### Trade name: 2-component PUR adhesive PartB E-COLL

(Contd. of page 9)

EU -

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1B StrOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 $\cdot$  \* Data compared to the previous version altered.